Contribution ID: 4

Type: not specified

Positivity Bounds on Higgs-Portal Dark Matter

Thursday, 15 June 2023 15:40 (20 minutes)

We consider the positivity bounds for WIMP scalar dark matter with effective Higgs-portal couplings up to dimension-8 operators. Taking the superposed states for Standard Model Higgs and scalar dark matter, we show the part of the parameter space for the effective couplings, otherwise unconstrained by phenomeno-logical bounds, is ruled out by the positivity bounds on the dimension-8 derivative operators. We find that Dark matter relic density, direct and indirect detection, and LHC constraints are complementary to the positivity bounds in constraining the effective Higgs-portal couplings. In the effective theory obtained from massive graviton or radion, there appears a correlation between dimension-8 operators and other effective Higgs-portal couplings for which the strong constraint from direct detection can be evaded. Nailing down the parameter space mainly by relic density, direct detection, and positivity bounds, we find that there are observable cosmic ray signals coming from the Dark matter annihilations into a pair of Higgs bosons, WW or ZZ.

Secondary category for the parallel session (optional)

Dark Matter Physics

Primary authors: LEE, Hyun Min (Chung-Ang University); Dr YAMASHITA, Kimiko (Ibaraki University); KIM, Seongsik (Chung-Ang University)

Presenter: KIM, Seongsik (Chung-Ang University)

Session Classification: Parallel: Dark Matter 5

Track Classification: Parallel Sessions: Dark Matter Physics